





LODEKING LT[™]

ELECTRIC WIRE ROPE HOISTS

10-TON HOIST DIMENSIONS




Lengths Valid For 460V Motors Only. Consult Factory For 230V Or 575V Options.

Gearbox Side Trolley Motor Faces Outward On 60", 66" & 72" Gage. Inward On All Other Gages.

Side Clearance May Be Reduced On Shorter Lifts.

10 TON MODEL


Gage (in.)	Dimensions (in.)		
	A	B	C
60	62.5	30	35
66	65.5	33	38
72	68.5	36	41
78	71.5	39	44
84	74.5	42	47
90	77.5	45	50
96	80.5	48	53
102	83.5	51	56
108	86.5	54	59
114	89.5	57	62
120	92.5	60	65



LODEKING LT[™]

ELECTRIC WIRE ROPE HOISTS

15-TON HOIST DIMENSIONS



Lengths Valid For 460V Motors Only. Consult Factory For 230V Or 575V Options.

Gearbox Side Trolley Motor Faces Outward On 60", 66" & 72" Gage. Inward On All Other Gages.

Side Clearance May Be Reduced On Shorter Lifts.

15 TON MODEL



Gage (in.)	Dimensions (in.)		
	A	B	C
60	62.5	30	35
66	65.5	33	38
72	68.5	36	41
78	71.5	39	44
84	74.5	42	47
90	77.5	45	50
96	80.5	48	53
102	83.5	51	56
108	86.5	54	59
114	89.5	57	62
120	92.5	60	65



LODEKING LT[™]

ELECTRIC WIRE ROPE HOISTS

20-TON HOIST DIMENSIONS



Lengths Valid For 460V Motors Only. Consult Factory For 230V Or 575V Options.

Gearbox Side Trolley Motor Faces Outward On 60", 66" & 72" Gage. Inward On All Other Gages.

Side Clearance May Be Reduced On Shorter Lifts.

20 TON MODEL


Gage (in.)	Dimensions (in.)		
	A	B	C
60	62.6	30	35
66	65.6	33	38
72	68.6	36	41
78	71.6	39	44
84	74.6	42	47
90	77.6	45	50
96	80.6	48	53
102	83.6	51	56
108	86.6	54	59
114	89.6	57	62
120	92.6	60	65



LODEKING LT[™]

ELECTRIC WIRE ROPE HOISTS

25-TON HOIST DIMENSIONS



Lengths Valid For 460V Motors Only. Consult Factory For 230V Or 575V Options.

Gearbox Side Trolley Motor Faces Outward On 60", 66" & 72" Gage. Inward On All Other Gages.

Side Clearance May Be Reduced On Shorter Lifts.

25 TON MODEL

Gage (in.)	Dimensions (in.)		
	A	B	C
60	62.6	30	35
66	65.6	33	38
72	68.6	36	41
78	71.6	39	44
84	74.6	42	47
90	77.6	45	50
96	80.6	48	53
102	83.6	51	56
108	86.6	54	59
114	89.6	57	62
120	92.6	60	65